


Performance Bulletin


Twin XTO 425hp V8 / Ranieri Cayman 38 Executive



| ENGINE | | |
|------------------------|-----------------------------------|----------|
| Horsepower | 425 hp | 312.5 kw |
| Type & Displacement | DI | 5559 cc |
| Configuration | V8 (60°), 32-valve, DOHC with VCT | |
| Weight | 446.0 kg | |
| Gear Ratio | 1.79 | |
| Mounting Hole Position | 90 mm | #2 |
| PROPELLER | | |
| Series | XTO | |
| Diameter / Pitch | 16 1/8 | x 22 |
| Part No. | 6GR-45934-10-00 | |



| BOAT SPECIFICATIONS | |
|----------------------------|---------|
| Length | 11.70 m |
| Beam | 3.80 m |
| Dry Weight | 3500 kg |
| Max HP | 1200 hp |
| Fuel Capacity | 750 l |
| Weight as Tested (approx.) | 5876 kg |



| TEST PERFORMANCE SUMMARY | | |
|---------------------------------------|----------|--------|
| Max Average Speed | 48 kn | |
| Best Cruising Nm/L | 0.2 nm/l | |
| Range (95% fuel capacity & best Nm/L) | 149 nm | |
| Acceleration time | 11.6 sec | 0-25kn |
| | 14.5 sec | 0-30kn |

Comment: Tested weight includes full tank of fuel, 4 battery, safety and test gear

| PERFORMANCE DATA | | | | | | | | | | | | |
|------------------|-----|------|------|------|------|------|------|-------------|------|------|------|-------------|
| RPM | 700 | 1000 | 1500 | 2000 | 2500 | 3000 | 3500 | 4000 | 4500 | 5000 | 5500 | 6000 |
| Knots | 3.6 | 5.5 | 7.6 | 9.0 | 10.8 | 13.7 | 20.5 | 28.9 | 33.9 | 40.7 | 45.3 | 48.2 |
| L/h | 2.2 | 3.0 | 3.0 | 4.2 | 5.7 | 7.2 | 6.2 | 4.8 | 5.3 | 5.4 | 6.0 | 5.8 |
| Nm/L | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |

FIGURES IN BOLD SHOW OPTIMUM CRUISING AND MAX SPEED

TEST CONDITIONS: Air Temp. 19 Water Temp. 18 Wind Velocity 3 m/s Type of water: Salt Water